# Dell Print Solutions

Outstanding value.
First class reliability.
Efficient print management.

















Manage your print environment proactively with Dell Print Solutions

Experts agree that the office print environment can be a huge cost and productivity drain for organizations, with ongoing costs relating to energy, consumables, space, and staff productivity creating hidden expenses.

A recent ITWorld article lists several oftenoverlooked factors that drive up print expenses:<sup>1</sup>

- The ratio of printers to users one printer to every 5 to 8 users is a recommended ratio for greater efficiency
- Number of personal printers vs. workgroup printers — limit personal printers in favor of workgroup printers to control costs
- Multi-vendor fleets using the same or similar printer models across a fleet makes consumable orders more efficient
- Age of printers any model more than
   5 years old could start to malfunction
- Consumables consolidating paper and toner orders through one person aids management and cost control
- Maintenance consider time and financial costs of administering service plans

Given the potential for extra costs as a result of inefficiencies in the print environment, streamlining print management can increase productivity and help save your organization a significant amount of money.\*



Overall 5 time winner PC Mag.com Editor's Choice Award: Dell 1250c, 1350cnw, 1355cnw, 2150cdn, 2155cn²



PC Mag.com "Highly Rated Award", October 2010, Dell 3330dn<sup>2</sup>



Buyers Labs "Outstanding Achievement Award for Energy Efficiency", January 2011, Dell 5130cdn



2010 BLI Pick Award: Dell 5130cdn, 3333dn and 3335dn

# **Dell award-winning printers**

- As of 2011 over 80% of our printer lineup had won a major industry award<sup>4</sup>
- 80% of our color printers have won a major award<sup>5</sup>
- We earned the Top 2 spots in PC World's list of the Top 10 Color Laser Printers of 2010<sup>6</sup>, and 3 of the top 5 spots in their Top 10 Mono Laser Printers of 2010<sup>7</sup>
- Dell printers consistently receive positive product reviews for speed, print quality, and low cost of ownership

# Dell print solutions can help you reduce costs and manage your print environment

Dell print solutions offer you a full range of award-winning printers with low total cost of ownership, one of the best warranties in the industry, and efficient print management tools to help streamline print environments and actively control costs.

# Low total cost of printing means outstanding value

You can maximize your investment and achieve exceptional long term value with feature-rich Dell printers, offered at affordable purchase prices and with low total cost of printing.

# Save up to 35% in Total Cost of Printing

Dell engineers its line of professional laser printers to help organizations of all sizes proactively save on their total cost of printing — a combination of printer acquisition cost, consumables cost, and service cost over a three-year period — compared to HP. For example, with the 3335dn, you can save up to 35% over three years compared to the equivalent HP product.

|                               | Dell 3335dn   | HP M3035xs                                      | Savings |
|-------------------------------|---|---|---------|
| Price                         | \$1,299   | \$1,999   | 35%     |
| Consumables<br>Cost (3 Years) | \$1,360   | \$1,673   | 19%     |
| 3 Year<br>Service Cost        | 3 Year Basic Limited Warranty <sup>8</sup><br>and 3 Year Next Business Day<br>Onsite Service<br>\$130 | 3-year Next<br>Business Day<br>On-site<br>\$649 | 80%     |
| Total Cost of Printing        | \$2,789   | \$4,321   | 35%     |

#### Key consumable cost assumptions9

Ship-with consumables (included in analysis):

- Dell 3335dn: 7,00010 pages yield black toner cartridge
- HP LJ M3035xs: 6,50011 pages yield black toner cartridge

Standard yield consumables (included in analysis):

- Dell 3335dn:  $8,000^{10}$  pages yield black toner cartridge and  $14,000^{10}$  pages high yield black toner cartridge Dell 3333dn: 30,000 pages yield photoconductor unit
- HP LJ M3035xs: 13,000 $^{10}$  pages yield black toner cartridge (\$238.99 $^{10}$ )

# Get top quality, outstanding performance, and overall savings with Dell original toners.

### Top quality

- Industry-leading toner technologies designed to work with Dell printers
- Quality control to help ensure reliability based on post-production audits

### Performance & Reliability

- Lifetime warranty for each cartridge<sup>12</sup>
- ISO page yield tests<sup>13</sup>
- · Consistent print quality

# **Overall Savings**

- Availability of high yield toner to offer a low cost for page per high volume printing
- No hidden costs vs. those arising from unreliable remanufactured cartridges
- No added downtime (zero failures in recent BLI independent testing)

# Net!

The Dell 3335dn Multifunction Printer

# First-class reliability and performance

Depend on Dell printers to be durable and reliable. More than 80% of Dell's printer lineup has received the coveted Buyer's Laboratory "Certificate of Reliability," an honor awarded only to printers that pass one of the most rigorous independent reliability tests in the Imaging industry.

In many cases Dell printers can deliver longer duty cycles than similar competitive models. In fact, you can get up to  $11\%^{14}$  more printer output capacity per month over HP.

For example, the Dell 5130cdn is built to handle up to 110,000 pages per month maximum duty cycle — a reliable workhorse. This Dell printer is fast as well. It can produce up to 47 pages per minute in both mono and color (letter) and an exceptionally fast 37.6 pages per minute in duplex mode compared to 42 pages per minute in both mono and color (letter) and 33 pages per minute in duplex mode with HP. Actual speed will vary with use.

Dell offers one of the best warranties in the industry reflecting our commitment and confidence in our printers. Ongoing maintenance is covered during the warranty period, a benefit few other vendors offer today so you won't have unexpected maintenance costs because all components are covered. For instance, if the fuser kit breaks (up to a \$300 cost), Dell will replace it at no charge under our standard warranty.

# Print management efficiency

With Dell print solutions users can scan, share, search, organize and store documents to improve document workflow, and IT managers can control printer fleets easily and efficiently.

**Dell Multifunction Printer (MFP) Scanning Solutions** help individual workers be more efficient and productive and reduce costs by giving them the ability to scan documents or images and then transmit the scanned data over a USB cable or network connection.

The **Dell Healthcare, Legal, and Classroom Print Stations** are options specifically designed for healthcare, legal and education professionals to help improve staff productivity and enhance learning. Users can easily access custom functions through icons on the MFP's user-friendly touch screen to complete complicated workflow processes easily.



Dell works with its partners to expand Dell print solutions further. Cortado Corporate Server 5.3 from Dell Partner Cortado allows users to securely access centrally stored files using Dell tablets or smartphones or other mobile devices, then print to a Dell printer, all via the cloud, for enhanced productivity and collaboration.

For IT managers, printer fleet management and consumable usage control is made easier with Dell Print Solutions.

**Dell OpenManage™ Printer Manager v2 (OMPM v2)** is a one-to-many printer management console that provides IT managers with a real-time view of printer status so

they can monitor, manage and report on the status of networked Dell and non-Dell<sup>15</sup> printers quickly and easily.

**Dell Open Print Driver (OPD)** simplifies driver management by providing a single, universal print driver which can be downloaded at no cost that works with any networked printer. And **Dell ColorTrack** allows managers to set limits and control access to color printing for economical consumables management.

# Let Dell Print Solutions help you manage your print environment and control costs with:

- Lower initial printer procurement costs
- · Lower operational costs over time
- Broad selection of award-winning, reliable products
- One of the best standard warranties in the business, and
- Efficient, easy-to-use print management tools

- Introduction excerpted from "Essential Considerations for Office Printer Management: Streamline document production, imaging for significant savings," a whitepaper commissioned by Dell, Inc. and published by Ziff Davis Enterprise, 2011.
- 1 http://www.itworld.com/small-business/92354/how-calculate-true-cost-printing-part-1
- 2 A trademark of Ziff Davis, Inc. Used under license. Reprinted with permission. Copyright 2010, 2011 Ziff Davis, Inc. All Rights Reserved.
- 3 Copyrighted 2011 by Buyers Laboratory, 20 Railroad Avenue, Hackensack, New Jersey 07601. Reproduced with the written permission of Buyers Laboratory Inc.
- 4 Major awards including Buyers Lab Inc, Better Buys for Business and reviews from PC World, PC Magazine, PC Pro and Trusted Reviews.
- 5 Major awards including Buyers Lab Inc and Better Buys for Business.
- 6 PC World, 29 October 2010, http://www.pcworld.com/reviews/collection/1674/top\_10\_color\_laser\_printers.html

- 7 PC World, 16 Nov 2010, http://www.pcworld.com/reviews/collection/1676/top\_10\_monochrome\_laser\_printers.html
- 8 For a copy of Limited Hardware Warranty, please write Dell USA L.P., Attn: Warranties, One Dell Way, Round Rock, TX 78682. For more information, visit www.dell.com/warranty.
- 9 Dell's black toner yield based on Dell internal testing methodology. Yields vary with usage and environmental conditions. Total Cost of Printing model assumes exclusive use of high-yield consumables after ship-with consumables run out. Prices taken from www.dell.com and www.hp.com as of 10/27/11.
- 10 Toner yield based on testing in accordance with ISO/IEC 19752. Yields vary with usage and environmental conditions.
- 11 Cost Per Page (CPP) model assumes exclusive use of high-yield consumables after ship-with consumables run out. CPP calculation is based on list prices of Dell HY (14,000 sheet yield) toner and HP M3035/xs Toner (13,000 sheet yield) as of 1/20/10. HP pricing taken from www.hp.com. NOTE: Testing methodologies for toner yield claims may differ across manufacturers, which could have significant impact on toner yields and Cost Per Page results.
- 12 Dell warrants to the original purchaser of genuine Dell-branded toner cartridges that they will be free from defects in material and workmanship for the life of the cartridge under normal use and storage conditions. Lifetime toner warranty applies to the originals toner only and does not apply to refilled or remanufactured toner cartridges.
- 13 Black and color laser toner yields based on testing in accordance with ISO/IEC 19752 and ISO/IEC 19798. Black and color inkjet color cartridge yields based on testing in accordance with ISO/IEC 24711. Yields vary with usage and environmental conditions.
- 14 Based on maximum duty cycle comparisons and pricing on new Dell line vs. comparable HP product, using Dell workgroup (5000 series) lader therprise workgroup (7000 series) laser printers and comparable HP laser printers. Maximum monthly duty cycle is the recommended maximum total number of pages per month the printer can print. Dell does not guarantee performance if printer exceeds this number of pages.
- 15 Non-Dell printers are supported only via SNMP.
- 16 Compatible with non-Dell networked printers which have PCL or Postscript™ engines.

|  |  | Color printers  |   |
|--|--|---|---|
|  | Dell™ 7130cdn<br>color printer   | Dell™ 5130cdn<br>color laser printer  | Dell™ 3130cn<br>Duplex color laser printer  |
|  | High-speed, professional-quality color<br>printing for high-volume workgroups<br>at a low total cost of printing     Recommended for medium to large<br>networked workgroups | High-speed, professional-quality color printing for high-volume workgroups at a low total cost of printing     Recommended for medium to large networked workgroups | High-speed, true-to-life color and<br>monochrome laser printing     Designed for large workgroups in a<br>networked environment |
|  |  |   |   |
| Speed (Letter)<br>(actual print speed<br>will vary with use) | Prints up to 35 ppm black and up to 35 ppm color   | Prints up to 47 ppm black and up to 47 ppm color  | Prints up to 31 ppm black and up to 26 ppm color  |
| Maximum duty cycle   | Up to 150,000 pages/month  | Up to 110,000 pages/month   | Up to 70,000 pages/month  |
| Print resolution   | Up to 1200 x 1200 dpi  | Up to 1200 x 1200 dpi   | Up to 600 x 600 dpi   |
| Ports (cable not included)                                   | USB 2.0, Gigabit Ethernet  | USB 2.0, Gigabit Ethernet, Wireless Port<br>(for optional wireless), USB Host Port,<br>Parallel Port  | USB 2.0 High speed supported (Type-B connector); IEEE 1284 Parallel Port; Ethernet 10Base-T/100Base-TX                          |
| Print languages  | PCL® 5c, PDF direct v1.4,<br>Adobe® PS® 3™   | PCL® 5c/5e/6, PS 3  | PCL® 6 Emulation (includes PCL 5e),<br>Adobe® PostScript® 3™  |
| Fonts  | PCL® 5c: 81 fonts, Adobe® PS® 3™:<br>139 fonts   | PCL 5c, 5e/6 Emulation: 81 fonts,<br>Adobe® PS® 3™: 136 fonts   | PCL® 5e/6 Emulation: 81 fonts;<br>Adobe® PostScript® 3™: 136 fonts  |
| Memory   | 512 MB standard,<br>upgradable to 2 GB RAM<br>Hard Drive Optional: 80 GB   | 256 MB standard,<br>upgradable to 1280 MB RAM<br>Hard Drive Optional: 80 GB   | Standard: 256 MB<br>Optional: Up to 1024 MB via one<br>200-pin DDR2 DIMM slot   |
| Dimensions & weight<br>(WxDxH)                               | 25.2" x 26.2" x 15.7"<br>145.2 lbs.  | 22.1" × 20.0" × 17.0"<br>99 lbs.  | 15.8" × 19.8" × 18.5"<br>55.7 lbs.  |
| Consumables: toner capacity (ship-with)                      | Up to 19,000 black,<br>11,000 color <sup>21</sup>  | Up to 9,000 black,<br>6,000 color <sup>21</sup>   | Up to 4,000 pages black, 3,000 pages color <sup>21</sup>  |
| Consumables:   | Up to 19,000 black,  | Up to 18,000 black,   | Up to 9,000 pages black   |

#### 20,000 each color<sup>21</sup> 12,000 each color<sup>21</sup> and each color<sup>21</sup> toner, high-yield Standard: 100-sheet multipurpose Standard: 150-sheet multipurpose tray, Standard: 150-sheet multipurpose tray, 500-sheet paper tray/Max: 550-sheet paper tray/Max: 2,900 sheets tray +250-sheet drawer/Max: 950 Standard/max. paper 2,100 sheets via addition of optional via addition of optional 1x 1,100 + 2 x input sheets via addition of optional 3 x 500-sheet feeder. Standard 550-sheet feeder. Standard integrated 550-sheet drawer integrated two-sided printing unit. two-sided printing unit. 550-sheet drawer, 1,100-sheet drawer 500-sheet feeder printer stand and with stand, Output Expander: 1,000-sheet Paper-handling 550-sheet drawer options 1,500-sheet feeder Staple, Stacker, Off set Output Expander (All in one Finisher) Dell 5130cdn External Other networking N/A 3130cn Wireless<sup>22</sup> Printer Adapter options Wireless<sup>22</sup> Adapter 1-Year Next Business Day On-Site 1-Year Basic NBD On-Site Response 3-Year Basic NBD On-Site Response Standard service Response Service After Remote Service After Remote Diagnosis<sup>18</sup> Service After Remote Diagnosis<sup>18</sup> Diagnosis<sup>18</sup>

|                          | Color prin    |
|--------------------------|---------------|
| Dell™ 2150cn and 2150cdn | Dell™ 1350cnw |
| color laser printer      | color printer |

| • | Automatic two-sided    | duplex | printing | can help |  |
|---|------------------------|--------|----------|----------|--|
|   | save on printing costs | 3      |          |          |  |

save on printing costs
• Recommended for small businesses and workgroups

2155cn/cdn

1-Year NBD Advanced Exchange Service<sup>19</sup>



- network printer\*\*
- Recommended for SMBs and small workgroups

iters



1-Year NBD Advanced Exchange Service<sup>19</sup>

- World's smallest letter-size color laser-class printer\*\*
- Recommended for small and home offices, and small businesses







| Prints up to 24 ppm black and color   | Prints up to 15 ppm black and up to 12 ppm color                  | Prints up to 12 ppm black and up to 10 ppm color            |
|---|---|---|
| Up to 40,000 pages/month  | Up to 30,000 pages/month  | Up to 30,000 pages/month                                    |
| Up to 600 x 600 dpi   | Up to 600 x 600 dpi   | Up to 600 x 600 dpi   |
| USB 2.0 (high speed), Ethernet port<br>10/100/1000 BASE-T, Wireless port<br>(For optional dongle)   | USB 2.0 (high speed), 10/100 BASE-T Ethernet,<br>WiFi             | USB 2.0 (high speed)  |
| PCL 5e, PCL 5C, PCL 6, XPS (host-based)   | GDI   | GDI   |
| HP PCL® 6 Emulation: 80 scalable fonts  | Host-based, Windows® fonts  | Host-based, Windows® fonts                                  |
| Standard: 256 MB DDR2-400MHz, 144-pin<br>SO-DIMM; Slots: DDR2 SO-DIMM slot x 1  | 128 MB standard   | 64 MB standard  |
| 15.8" x 16" x 16.3"<br>44.1 lbs. with duplexer  | 15.5" x 11.8" x 8.9"<br>23.3 lbs.                                 | 15.5" x 11.8" x 8.9"<br>23.1 lbs.                           |
| Up to 1,200 pages black and each color <sup>21</sup>  | Up to 700 pages black and each color <sup>21</sup>                | Up to 700 pages black and each color <sup>21</sup>          |
| Up to 3,000 pages black, 2,500 pages color <sup>21</sup>  | Up to 2,000 pages black,<br>1,400 pages color <sup>21</sup>       | Up to 2,000 pages black,<br>1,400 pages color <sup>21</sup> |
| Standard: 250-sheet drawer + 1-sheet multi-<br>purpose tray/Max: 501 sheets via addition of<br>optional 250-sheet tray. Standard integrated<br>two-sided printing unit in "cdn" version only. | Standard: 150-sheet drawer + 10-sheet bypass tray/Max: 160 sheets | Standard: 150-sheet drawer/Max: 150 sheets                  |
| 250-sheet tray  | N/A   | N/A   |
| Dell Wireless <sup>22</sup> Card for 2150cn/cdn,  | N/A   | N/A   |

1-Year NBD Advanced Exchange Service<sup>19</sup>

|  | Color multifunction printers  |  |  |
|--|---|--|--|
|  | Dell™ 3115cn multifunction<br>color laser printer   | Dell™ 2155cn/cdn multifunction color laser printers  | Dell™ 1355cn/cnw multifunction color printers  |
|  | High-performance multifunction color laser with network printing, scanning, and faxing; stand-alone copying     Recommended for medium networked workgroups | <ul> <li>Professional-quality print, copy, fax and scan capabilities all in one convenient device</li> <li>Recommended for small and medium sized businesses and small workgroups</li> </ul> | World's smallest 4-in-1 multifunction<br>color laser-class network printer**     Recommended for small and medium<br>sized businesses and small workgroups |
|  |   |  |  |
| Speed (Letter)<br>(actual print speed<br>will vary with use) | Prints up to 31 ppm black/ 17 ppm color; copies up to 30 ppm black/ 17 ppm color  | Prints up to 24 ppm black and color  | Prints up to 15 ppm black and up to 12 ppm color   |
| Maximum duty cycle   | Up to 60,000 pages/month  | Up to 40,000 pages/month   | Up to 30,000 pages/month   |
| Print resolution   | Up to 600 x 600 dpi   | Up to 600 x 600 dpi  | Up to 600 x 600 dpi  |
| Ports (cable not included)                                   | USB 2.0, Parallel, Ethernet   | Standard interfaces: USB 2.0 (high<br>speed); Ethernet port 10/100/1000<br>BASE-T; Wireless port (For optional<br>dongle); USB host port (USB 2.0 em-<br>bedded host port for USB memory)    | USB 2.0 high speed supported, 10/100<br>BASE-T Ethernet, WiFi (1355cnw only)   |
| Print languages  | PCL6, PCL5e, Adobe PS 3   | PCL 5e, PCL 5C, PCL 6, XPS (hostbased)   | GDI  |
| Fonts  | PCL5e/6 Emulation: 81 fonts;<br>Adobe PS 3: 136 fonts   | HP PCL® 6 Emulation:<br>80 scalable fonts  | Host-based,<br>Windows® fonts  |
| Memory   | 128 MB for printing, 128 MB for copy/<br>scan/fax, upgradable to 1152 MB<br>(printing only)   | Standard: 256 MB DDR2-400MHz,<br>144-pin SO-DIMM; Slots: DDR2<br>SO-DIMM slot x 1<br>Optional: 512 MB  | 128 MB standard  |
| Dimensions & weight (WxDxH)                                  | 18.1" x 22.4" x 28.7"<br>79.4 lbs.  | 17.2" x 21.1" x 22.8"<br>66.1 lbs. with duplexer   | 16.1" x 14.9" x 13.3"<br>34.1 lbs.   |
| Consumables: toner capacity (ship-with)                      | Up to 5,000 pages black,<br>4,000 pages each color <sup>21</sup>  | Up to 1,200 pages black and each color <sup>21</sup>   | Up to 700 pages black, 700 pages each color <sup>21</sup>  |
| Consumables:<br>toner, high-yield                            | Up to 8,000 pages each color <sup>21</sup>  | Up to 3,000 pages black, 2,500 pages each color; Dual pack: 3,000 pages x 2 units (black only) <sup>21</sup>   | Up to 2,000 pages black, 1,400 pages each color <sup>21</sup>  |
| Standard/max. paper input                                    | 400 sheets/950 sheets (Max. one additional drawer)  | Standard: 250-sheet drawer + 1-sheet<br>multipurpose tray/Max: 501 sheets via<br>addition of optional 250-sheet tray   | Standard: 150-sheet drawer + 10-sheet bypass tray/Max: 160 sheets  |
| Paper-handling options                                       | 550-sheet drawer, duplexer (for two-sided printing)   | 250-sheet tray   | N/A  |
| Other networking options                                     | Dell Multi-Protocol Card with Wireless<br>Printer <sup>22</sup> Adapter 3310 USB  | Dell Wireless <sup>22</sup> Card for 2150cn/cdn, 2155cn/cdn  | N/A  |
| Standard service   | 1-Year Basic NBD On-Site Response<br>Service After Remote Diagnosis <sup>18</sup>   | 1-Year Basic NBD On-Site Response<br>Service After Remote Diagnosis <sup>18</sup>  | 1-Year NBD Advanced Exchange<br>Service <sup>19</sup>  |

# Monochrome laser printers

# Dell™ 5530dn laser printer

- Dell's fastest single function monochrome laser printer delivers exceptional performance and value
- Recommended for mid to large networked workgroups

# Dell™ 5350dn laser printer

- Fast, high performance networked laser printer with wide variety of expandability options
- Recommended for large workgroups in an enterprise environment





| Speed (letter)<br>(actual print speed<br>will vary with use) | Prints up to 55 ppm  | Prints up to 50 ppm letter  |
|--|--|---|
| Maximum duty cycle   | Up to 275,000 pages/month  | Up to 225,000 pages/month   |
| Print resolution   | Up to 1200 x 1200 dpi  | Up to 1200 x 1200 dpi   |
| Ports (cable not included)                                   | Ethernet, USB 2.0, front host port, rear host port, one available internal solution port   | Ethernet, USB 2.0 device port, 1 front full speed USB host port, 1 available internal solution port   |
| Print languages  | PCL 5e, PCL 6, PPDS 4, PS 3, xHTML, PDF 1.6, DirectImage, XPS  | PCL® 5e, PCL 6, HTML, PPDS 4, XPS and PS 3, PDF 1.6, DirectImage  |
| Fonts  | 158 Scalable PS fonts, 84 Scalable PCD fonts   | 3 of 9 scalable PCL 5e fonts, 158 scalable PS fonts, 2 PCL bitmap fonts, 39 scalable PPDS fonts, 5 PPDS bitmap fonts, 84 scalable PCL fonts, OCR-A, OCR-B scalable PCL 5e fonts   |
| Memory   | 256 MB standard,<br>upgradable to 1280 MB  | 128 MB standard,<br>upgradable to 640 MB  |
| Dimensions & weight (WxDxH)                                  | 17.2" x 16.7" x 20.1"<br>51.6 lbs.   | 16.8" x 16.7" x 20.1"<br>50.7 lbs.  |
| Consumables:<br>toner capacity<br>(ship-with)                | Up to 10,000 <sup>20</sup>   | Up to 7,000 (Ship-with up to 10,000) <sup>20</sup>  |
| Consumables:<br>toner, high-yield                            | Up to 25,000 (high yield)<br>Up to 36,000 (extra high yield) <sup>20</sup>   | Up to 21,000 (Extra high: up to 30,000) <sup>20</sup>   |
| Standard/max.<br>paper input                                 | 550-sheet + 100-sheet (multipurpose tray)/4,300 sheets   | 550-sheet covered tray + 100-sheet multipurpose tray/4,300 sheets   |
| Paper-handling<br>options                                    | Input: 250-sheet drawer, 550-sheet drawer, 2,000-sheet high capacity feeder, envelope feeder, 550-sheet lockable drawer  Output: 550 output expander, 1,850-sheet high-capacity Output Stacker, 5-bin mailbox, staple finisher | Input: 550-sheet drawer, 2,000-sheet high-capacity feeder, envelope feeder Output: 550-sheet output expander, 5-bin mailbox capacity, 1,850-sheet output stacker, staple finisher |
| Other networking options                                     | Optional: Parallel 1284-B Card, Serial RS232 Card, Gigabit Ethernet Print Server, Wireless <sup>22</sup> Print Server  | N8120 Gigabit Ethernet Print Server, Parallel 1284-B Interface Card, RS-232C Serial Interface Card, N8150 Wireless <sup>22</sup> Print Server                                     |
| Standard service   | 3-Year NBD On-site Service After Remote Diagnosis <sup>18</sup> ;<br>1-Year Limited Hardware Warranty <sup>17</sup>  | 3-Year NBD On-site Service After Remote Diagnosis <sup>18</sup> ;<br>1-Year Limited Hardware Warranty <sup>17</sup>   |

| M    |       | 1000   | printers  |
|------|-------|--------|-----------|
| Mono | nrome | laser  | printers  |
|      |       | 101001 | 0.1114010 |

# Dell™ 5330dn laser printer

- High-volume, high-speed workgroup printing at a low cost per page
  • Recommended for medium to large
- networked workgroups



# Dell™ 5230n and 5230dn laser printers

- High performance, robust and expandable monochrome laser printers
- Recommended for large workgroups



# Dell™ 3330dn laser printer

- Networked laser printer offering exceptional productivity

  Black & white Performance with an
- intuitive user experience



| Speed (letter)<br>(actual print speed<br>will vary with use) | Prints up to 50 ppm   | Up to 45 ppm  | Prints up to 40 ppm   |
|--|---|---|---|
| Maximum duty cycle   | Up to 250,000 pages/month   | Up to 200,000 pages/month   | Up to 80,000 pages/month  |
| Print resolution   | Up to 600 x 600 dpi   | Up to 1200 x 1200 dpi   | Up to 1200 x 1200 dpi   |
| Ports (cable not included)                                   | USB 2.0, Parallel, Gigabit Ethernet   | Ethernet, USB 2.0, front host port, rear host port, one available internal solution port  | USB 2.0, Parallel, Ethernet   |
| Print languages  | PS3, PCL6   | PCL® 5e, PCL 6, xHTML, PPDS 4, XPS and PS® 3  | PS3, PCL5e/6  |
| Fonts  | 136 Scalable fonts PS, 93 Scalable fonts PCL  | 158 Scalable PS fonts, 84 Scalable PCD fonts  | 84 Scalable PCL fonts, 91 Scalable PS fonts                                       |
| Memory   | 256 MB standard,<br>upgradable to 768 MB  | 128 MB standard,<br>upgradable to 640 MB  | 64 MB standard,<br>upgradable to 576 MB   |
| Dimensions & weight (WxDxH)                                  | 16.34" x 18.74" x 14.84"<br>47 lbs.   | Without duplex: 13.7" x 16.7" x 19.4" 40.6 lbs. With duplex: 15.8" x 16.7" x 25.2" 51.6 lbs.  | 16.6" x 14.53" x 10.2"<br>31.15 lbs.  |
| Consumables:<br>toner, standard<br>capacity (ship-with)      | Up to 10,000 <sup>20</sup>  | Up to 7,000 <sup>20</sup>   | Up to 7,000 <sup>20</sup>   |
| Consumables:<br>toner, high-yield                            | Up to 20,000 <sup>20</sup>  | Up to 21,000 <sup>20</sup>  | Up to 14,000 <sup>20</sup>  |
| Standard/max.<br>paper input                                 | 500-sheet + 100-sheet (multipur-<br>pose tray)/3,200-sheet (with optional<br>500-sheet drawer & 2,100-sheet<br>high-capacity feeder)  | 250-sheet covered tray and<br>100-sheet multipurpose tray/4,000<br>sheets   | 250-sheet + 50-sheet (multipurpose tray) 850-sheet (with optional 550-sheet tray) |
| Paper-handling options                                       | 500-sheet drawer (up to 3 additional), 2,100-sheet high-capacity feeder, 600-sheet output expander                                    | Input: 550-sheet drawer, 2,000-sheet high-capacity feeder, envelope feeder, 250-sheet duplex option (for n model) Output: 550-sheet output expander 5-bin mailbox capacity, 1,850-sheet output stacker, staple finisher | 550-sheet paper tray<br>(up to 1 additional)                                      |
| Other networking options                                     | Dell 5330dn Internal<br>Wireless <sup>22</sup> Adapter  | Gigabit Ethernet Print Server, Parallel<br>1284-B Interface Card, RS-232C Serial<br>Interface Card, Wireless <sup>22</sup> Print Server   | N/A   |
| Standard service   | 3-Year Basic NBD On-Site Response<br>Service After Remote Diagnosis <sup>18</sup> ;<br>1-Year Limited Hardware Warranty <sup>17</sup> | 3-Year NBD On-site Service After<br>Remote Diagnosis <sup>18</sup> ; 1-Year Limited<br>Hardware Warranty <sup>17</sup>  | 1-Year Basic NBD Advanced<br>Exchange Service <sup>19</sup>                       |

| М  | onochrome laser printers  |  |
|--|---|--|
| Dell™ 2350d and 2350dn<br>laser printers   | Dell™ 2230d<br>laser printer  | Dell™ 1130 and 1130n<br>laser printers   |
| Compact yet fast, productive and reliable monochrome laser printers Recommended for workgroup use  | Affordable high performance black and white laser printing     Recommended for home and small business  | Entry-level laser printers with fast, high-quality output     Recommended for remote offices, small workgroups or personal use |
| Prints up to 40 ppm  | Prints up to 35 ppm   | 1130: Up to 19 ppm<br>1130n: Up to 24 ppm  |
| Up to 60,000 pages/month   | Up to 35,000 pages/month  | 1130: Up to 10,000 pages/month<br>1130n: Up to 12,000 pages/month  |
| Up to 1200 x 1200 dpi  | Up to 1200 x 1200 dpi   | Up to 1200 x 1200 dpi  |
| High speed USB 2.0 port, Parallel IEEE-1284, 10/100<br>baseTX RJ45 Ethernet port (Dell 2330dn)   | USB 2.0, Parallel   | 1130: USB 2.0<br>1130n: USB 2.0, Ethernet Base Tx  |
| PCL 5e Emulation, PCL 6 Emulation, PostScript 3<br>Emulation   | PS3, PCL5e/6  | 1130: SPL (GDI)<br>1130n: SPL (GDI), PCL 5e, PCL 6,<br>Epson/IBM emulation   |
| 3 of 9 scalable PCL 5e fonts in Narrow, Regular and Wide, 2 PCL bitmap fonts, 84 scalable PCL fonts, OCR-A, OCR-B scalable PCL 5e fonts, 89 scalable PostScript fonts Dell 2350d: 32 MB upgradeable to 160 MB via optional 128 MB memory module; Dell 2350dn: 32 MB upgradeable to 288 MB via optional 256 MB memory | 89 Scalable PS3/PCL fonts  32 MB standard, upgradable to 160 MB   | 1130: Host-based, Windows® fonts<br>1130n: OCR-A, OCR-B<br>1130: 8 MB/max<br>1130n: 64 MB/max                                  |
| module<br>16.61" x 14.53" x 10.24"<br>31.2 lbs.  | 15.98" x 14.55" x 10.2"<br>29.77 lbs.   | 14.2" x 15.3" x 7.8"<br>1130: 16 lbs.; 1130n: 16.1 lbs.  |
| Up to 2,000 pages <sup>20</sup>  | Up to 1,000 <sup>20</sup>   | Up to 1,500 (Ship-with up to 700) <sup>20</sup>  |
| Up to 6,000 pages <sup>20</sup>  | Up to 3,500 <sup>20</sup>   | Up to 2,500 <sup>20</sup>  |
| Standard: 250 sheet covered drawer and 50 sheet<br>multipurpose tray/max: 850 sheets via 50-sheet<br>multipurpose tray + 1 x optional 550-sheet drawer<br>Standard integrated two-sided printing unit.   | Standard: 250 sheets + 1-sheet<br>(multipurpose tray); Max: 501 sheets<br>(250-sheet drawer + 1-sheet multipurpose<br>tray + 1 x optional 550-sheet drawer) | 250 sheets via standard tray and<br>1-sheet feeder/251 sheets (250-she<br>standard tray plus 1-sheet feeder)                   |
| 550-sheet drawer   | 250-sheet paper tray (up to 1 additional)   | N/A  |

| N/A | N/A | N/A                         |
|-----|-----|-----------------------------|
|     |     | 1 Voor NRD Advance Eychange |

1-Year NBD Advance Exchange Service<sup>19</sup>

1-Year NBD Advanced Exchange Service<sup>19</sup>

1-Year NBD Advance Exchange Service<sup>19</sup>

|   | <ul> <li>Superb 4-in-1 functionality<br/>plus ultra-high productivity<br/>and speed</li> <li>Recommended for large work-<br/>groups and organizations</li> </ul>         | Fast monochrome laser printers with multifunctional convenience     Recommended for small and medium workgroups  | <ul> <li>Networked monochrome laser multifunction<br/>printer with 4.3" color LCD touch screen, and<br/>enhanced, simplified workflow</li> <li>Recommended for workgroup use</li> </ul>  |
|---|--|--|--|
| Speed   |  |  |  |
| (actual print speed will vary with use)           | Prints up to 55 ppm letter   | Prints up to 40 ppm letter   | Prints up to 35 ppm letter   |
| Maximum duty cycle                                | Up to 275,000 pages/month average  | Up to 80,000 pages/month   | Up to 80,000 pages/month   |
| Print resolution                                  | Up to 1200 x 1200 dpi  | Up to 1200 x 1200 dpi  | Up to 600 x 600 dpi  |
| Ports (cable not included)                        | Ethernet, USB 2.0 high-speed device port, front USB 2.0, rear USB 2.0, one available internal solution port  | Ethernet, USB 2.0 device port, front USB 2.0, rear USB 2.0, one available internal solution port   | Rear: USB 2.0 High speed port (type B connector), Ethernet 10/100 BaseT RJ-45 port, RJ-11 telephone and fax port (cables included); Front: USB 1.1 full speed (supports direct printing/scanning to/from USB memory key) – supported formats: PDF, JPEG, BMP, TIFF |
| Print Languages                                   | PCL® 5e, PCL 6, PPDS 4, PS 3,<br>HTML, PDF 1.6, DirectImage, XPS   | PCL® 5e, PCL 6, PPDS 4, PS® 3,<br>HTML, PDF 1.6, XPS, DirectImage,<br>HBPv3  | PCL® 6, PCL® 5e, PS 3  |
| Fonts   | PCL Bitmapped 2, PCL Scalable<br>89, PS Scalable 158, PPDS<br>Bitmapped 5, PPDS Scalable 39  | 91 Scalable PS fonts, 84 Scalable<br>PCL fonts   | 136 scalable PS3 fonts, 93 scalable, including OCR-A, OCR-B; 1 bitmapped PCL Font; customized fonts downloadable into 512kb internal flash memory  |
| Memory  | 256 MB standard  | 128 MB standard  | 256 MB   |
| Dimensions & weight (WxDxH)                       | 40.2" x 27.6" x 28.9"<br>100 lbs.  | 21.5" x 19.2" x 17.2"<br>50 lbs.   | 18.3" x 17.5" x 18.1"<br>44.3 lbs.   |
| Consumables: toner, standard capacity (ship-with) | Up to 7,000<br>(Ship-with up to 18,000) <sup>20</sup>  | Up to 8,000<br>(Ship-with up to 7,000) <sup>20</sup>   | Up to 3,000 pages black (Ship-with up to 3,000) <sup>20</sup>  |
| Consumables: toner, high-yield                    | Up to 25,000<br>(Extra high: up to 36,000) <sup>20</sup>   | Up to 14,000 <sup>20</sup>   | Up to 10,000 pages black <sup>20</sup>   |
| Standard/max.<br>paper input                      | 550-sheet tray + 100 sheets<br>(multipurpose tray )/ 3,200   | 250-sheet tray and 550-sheet<br>tray + 50-sheet multipurpose<br>tray / 800 sheets + 50-sheet<br>multipurpose tray  | Standard: 250 sheet (Tray 1) / 50 sheet (MPF)/Max: 550 sheets via addition of 250-sheet optional tray Standard integrated two-sided printing unit  |
| Paper-handling options                            | 550-sheet drawer, 250-sheet drawer, 2,000-sheet high-capacity feeder, 550-sheet lockable drawer  | 550-sheet tray   | 250-sheet tray   |
| Other networking options                          | Parallel 1284-B Card, Serial RS232<br>Card, External Serial RS232 Card,<br>Gigabit (10/100/1000 Base T)<br>Ethernet Print Server, Wireless<br>Print Server <sup>22</sup> | Parallel 1284-B Card, Serial RS232<br>Card, External Serial RS232 Card,<br>Gigabit (10/100/1000 Base T)<br>Ethernet Print Server, Wireless<br>Print Server <sup>22</sup> | Wireless <sup>22</sup> Adapter   |
| Standard service                                  | 3-Year NBD On-site Service<br>After Remote Diagnosis <sup>18</sup> ; 1-Year<br>Limited Hardware Warranty <sup>17</sup>   | 1-Year NBD On-site Service<br>after Remote Diagnosis <sup>18</sup> ; 1-Year<br>Limited Hardware Warranty <sup>17</sup>   | 1-Year NBD Advance Exchange Service <sup>19</sup>  |

Monochrome multifunction laser printers

Dell™ 2355dn multifunction laser printer

Dell™ 3333dn and Dell 3335dn

multifunction laser printers

Dell™ 5535dn

multifunction laser printer

| Monochrome multifunction laser printers   |  |  |  |  |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|--|--|--|--|
| Dell™ 2335dn multifunction laser printer  | Dell™ 1135n multifunction laser printer  |  |  |  |  |  |  |  |  |  |  |
| Fast and reliable networked monochrome laser<br>multifunction printer     Recommended for workgroup use   | <ul> <li>Reliable, affordable multifunction laser<br/>printer with fax, scan and copy capabilities</li> <li>Recommended for small businesses and<br/>small workgroups</li> </ul> |  |  |  |  |  |  |  |  |  |  |
|   |  |  |  |  |  |  |  |  |  |  |  |
| Prints up to 35 ppm black   | Prints up to 23 ppm letter   |  |  |  |  |  |  |  |  |  |  |
| Up to 60,000 pages/month  | Up to 12,000 pages/month   |  |  |  |  |  |  |  |  |  |  |
| Up to 600 x 600 dpi   | Up to 600 x 600 dpi  |  |  |  |  |  |  |  |  |  |  |
| Rear: USB 2.0 High speed port (type B connector),<br>Ethernet 10/100 BaseT RJ-45 port, RJ-11 telephone<br>and fax port (cables included); Front: USB 1.1 full<br>speed (supports direct printing/scanning to/from<br>USB memory key) – supported formats: PDF (Dell<br>2335dn generated), JPEG, BMP, TIFF | USB 2.0, Ethernet  |  |  |  |  |  |  |  |  |  |  |
| PCL® 5e, PCL 6 and PostScript® Level 3 Emulation  | SPL (GDI)  |  |  |  |  |  |  |  |  |  |  |
| 136 Scalable PS3, 93 Scalable including OCR-A, OCR-B, 1-bitmapped PCL Fonts   | Host-based Windows® fonts  |  |  |  |  |  |  |  |  |  |  |
| 256MB standard (which supports secured printing feature as standard), optional 256 MB module (512 MB maximum)   | 128 MB standard/max  |  |  |  |  |  |  |  |  |  |  |
| 18.3" x 17.3" x 18.2"   | 16.4 " x 16.3" x 12.6"   |  |  |  |  |  |  |  |  |  |  |

| and fax port (cables included); Front: USB 1.1 full speed (supports direct printing/scanning to/from USB memory key) – supported formats: PDF (Dell 2335dn generated), JPEG, BMP, TIFF | USB 2.0, Ethernet   |
|--|---|
| PCL® 5e, PCL 6 and PostScript® Level 3 Emulation   | SPL (GDI)   |
| 136 Scalable PS3, 93 Scalable including OCR-A, OCR-B, 1-bitmapped PCL Fonts  | Host-based Windows® fonts   |
| 256MB standard (which supports secured printing feature as standard), optional 256 MB module (512 MB maximum)  | 128 MB standard/max   |
| 18.3" x 17.3" x 18.2"<br>39 lbs.   | 16.4 " x 16.3" x 12.6"<br>25.4 lbs.   |
| Up to 3,000 pages black <sup>20</sup>  | Up to 1,500 pages (Ship-with up to 700 pages) <sup>20</sup>   |
| Up to 6,000 pages black <sup>20</sup>  | Up to 2,500 pages <sup>20</sup>   |
| Standard: 250 sheet (Tray 1) / 50 sheet (MPF)/Max: 550 sheets via addition of 250-sheet optional tray Standard integrated two-sided printing unit.                                     | 250 sheets via standard tray + 1-sheet<br>feeder/251 sheets (250-sheet standard tray +<br>1-sheet feeder) |
|  |   |

Wireless<sup>22</sup> card for Dell 2335dn N/A

N/A

1-Year NBD On-site Service after Remote Diagnosis<sup>18</sup>

250-sheet tray

1-year NBD Advanced Exchange Service<sup>19</sup>

# Protect your image with service and support

You and your work will look good over the long term with a variety of optional Dell service packages tailored to varying customer requirements. Dell ProSupport<sup>23</sup> offers an advanced level of technical support expertise at a dedicated 24x7, toll-free number with a variety of response-time options. Enjoy the convenience of Dell ProSupport On-Site Repair Service After Remote Diagnosis, which is offered with select printers. For issues covered by your Limited Hardware Warranty, a technician and/or part will be dispatched, if necessary, usually within 1 or 2 business days following completion of Remote Diagnosis.

# Next business day advanced exchange service<sup>19</sup> (select printers)

If you have a problem with your printer during your limited hardware warranty<sup>17</sup> period that can't be fixed with phone-based support and troubleshooting, we will ship you a replacement unit the next business day.<sup>19</sup> All you do is set up your new printer and ship back the defective unit, prepaid by Dell.

# Maintenance kit coverage

Fuser maintenance kit replacement is included in the base and extended limited hardware warranties<sup>17</sup> for most Dell Laser Printers based on usage and service level.

|   |         | Color printers  |                  |                    |         |          |        |                |                 |             |        | Monochrome printers |          |        |          |             |                |               |                   |          |             |             |  |  |
|---|---------|-----------------|------------------|--------------------|---------|----------|--------|----------------|-----------------|-------------|--------|---------------------|----------|--------|----------|-------------|----------------|---------------|-------------------|----------|-------------|-------------|--|--|
| F 11  | Sir     | Single function |                  |                    |         |          | Μι     | ıltifund       | Single function |             |        |                     |          |        |          |             | Mι             | Multifunction |                   |          |             |             |  |  |
| Dell<br>printers  | 7130cdn | 5130cdn         | 3130cn<br>Duplex | 2150cn/<br>2150cdn | 1350cnw | 1250c    | 3115cn | 2155cn/<br>cdn | 1355cn/<br>cnw  | 5530dn      | 5350dn | 5330dn              | 5230n/dn | 3330dn | 2350d/dn | 2230d       | 1130/<br>1130n | 5535dn        | 3335dn/<br>3333dn | 2355dn   | 2335dn      | 1135n       |  |  |
| Standard service  | ervice  |                 |                  |                    |         |          |        |                |                 |             |        |                     |          |        |          |             |                |               |                   |          |             |             |  |  |
| 1-year NBD Advanced Exchange Service <sup>19</sup>  |         |                 |                  | ~                  | ~       | ~        |        |                | ~               |             |        |                     |          | ~      | ~        | ~           | ~              |               |                   | ~        | ~           | ~           |  |  |
| 1-year NBD On-Site Service After Remote Diagnosis <sup>18</sup>   | ~       |                 | <b>&gt;</b>      |                    |         |          | ~      | ~              |                 |             |        |                     |          |        |          |             |                |               | ~                 |          |             |             |  |  |
| 3-year NBD On-Site Service  |         | <b>&gt;</b>     |                  |                    |         |          |        |                |                 | <           | >      | >                   | <b>~</b> |        |          |             |                | <             |                   |          |             |             |  |  |
| Fuser maintenance kit   | >       | >               | <b>&gt;</b>      | >                  | >       | >        | >      | >              | >               | <           | >      | >                   | >        | >      | >        | >           | >              | <             | >                 | >        | <           | ~           |  |  |
| Toner cartridge limited warranty  | >       | >               | >                | >                  | >       | >        | >      | >              | >               | >           | >      | >                   | >        | >      | >        | >           | >              | >             | >                 | >        | <b>~</b>    | <b>&gt;</b> |  |  |
| Extended service options  |         |                 |                  |                    |         |          |        |                |                 |             |        |                     |          |        |          |             |                |               |                   |          |             |             |  |  |
| Up to 3 years NBD Advanced Exchange <sup>19</sup>   |         |                 |                  |                    |         |          |        |                |                 |             |        |                     |          |        |          |             | ~              |               |                   |          |             |             |  |  |
| Up to 5 years NBD Advanced Exchange <sup>19</sup>   |         |                 |                  | ~                  | ~       | ~        |        |                | >               |             |        |                     |          | ~      | ~        | ~           |                |               | <b>&gt;</b>       | ~        | ~           | ~           |  |  |
| Up to 5 years NBD On-Site Service After<br>Remote Diagnosis <sup>18</sup>   | ~       | ~               | ~                | ~                  |         |          | >      | ~              |                 | ~           | ~      | ~                   | >        | ~      | ~        | ~           |                | ~             | >                 | ~        | ~           |             |  |  |
| Up to 5 years 4-hour On-Site Service After<br>Remote Diagnosis <sup>18</sup>  |         | ~               |                  |                    |         |          |        |                |                 | <b>&gt;</b> | ~      | ~                   | >        |        |          |             |                | <b>&gt;</b>   |                   |          |             |             |  |  |
| Printer installation  | >       | <b>&gt;</b>     | >                | >                  | >       | >        | >      | ~              | >               | >           | >      | >                   | >        | >      | >        | >           | >              | >             | >                 | >        | <           | ~           |  |  |
| Asset tagging   | ~       | >               | <b>&gt;</b>      | >                  | >       | >        | >      | <b>&gt;</b>    | >               | >           | >      | >                   | >        | >      | >        | >           | >              | >             | >                 | >        | <b>&gt;</b> | ~           |  |  |
| Warranty Parts Direct (with NBD only)   |         | ~               | ~                | >                  | ~       | <b>Y</b> | >      | ~              | >               | <b>&gt;</b> | >      | >                   | >        | >      | >        | ~           | >              | <b>Y</b>      | >                 | ~        | <b>V</b>    | ~           |  |  |
| Leasing   | ~       | ~               | <b>&gt;</b>      | >                  | >       | >        | >      | ~              | >               | >           | >      | >                   | >        | >      | >        | <b>&gt;</b> | >              | >             | >                 | <b>Y</b> | <b>Y</b>    | ~           |  |  |
| GSA compliant   | >       | >               | >                |                    |         |          | >      | ~              |                 |             | >      | >                   |          | >      | >        |             |                | >             | >                 |          | <b>~</b>    |             |  |  |
| OCONUS Support  |         | ~               |                  |                    |         |          | >      |                |                 |             | >      | >                   |          | >      | >        |             |                | <b>&gt;</b>   | >                 |          | <b>Y</b>    |             |  |  |
| Dell ProSupport <sup>23</sup> service options   |         |                 |                  |                    |         |          |        |                |                 |             |        |                     |          |        |          |             |                |               |                   |          |             |             |  |  |
| Dell ProSupport offer with up to 2, 3, 4 or 5 years<br>NBD Advanced Exchange <sup>19</sup>                          |         |                 |                  | ~                  | ~       | ~        |        |                | ~               |             |        |                     |          | ~      | ~        | ~           |                |               | >                 | ~        | ~           | ~           |  |  |
| Dell ProSupport offer with up to 2, 3, 4 or 5 years<br>NBD On-Site Service After Remote Diagnosis <sup>18</sup>     |         | >               | <b>&gt;</b>      | ~                  |         |          | >      | ~              |                 | >           | >      | >                   | >        | >      | >        | ~           |                | >             | >                 | ~        | ~           |             |  |  |
| Dell ProSupport offer with up to 2, 3, 4 or 5 years NBD with On-Site Diagnosis                                      |         | ~               | <b>&gt;</b>      | ~                  |         |          | >      | ~              |                 | >           | >      | >                   | >        | >      | >        | ~           |                | >             | >                 | ~        | ~           |             |  |  |
| Dell ProSupport offer with up to 2, 3, 4 or 5 years 4-hour SBD On-Site Service After Remote Diagnosis <sup>18</sup> |         | ~               |                  |                    |         |          |        |                |                 | <b>&gt;</b> | >      | >                   | >        |        |          |             |                | >             |                   |          |             |             |  |  |

<sup>\*</sup> Dell cannot be responsible for errors and omissions in typography or photography.



<sup>\*\*</sup> Based on a comparison of printer volume, (W x D x H) performed by Dell in August 2010 with paper tray closed.

<sup>17.</sup> For a copy of limited hardware warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or visit dell.com/warranty.

<sup>18.</sup> Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty and not resolved remotely, technician and/or part will be dispatched, usually in 1 or 2 business days following completion of Remote Diagnosis. Availability varies. Other conditions apply.

<sup>19.</sup> Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply

<sup>20.</sup> Dell Laser Printer 1130/1130n, 1135n, 2230d, 2335dn, 2350d/dn, 2355dn, 3330dn, 3333dn, 3335dn, 5230n/dn, 5350dn, 5350dn, 5530dn, and 5535dn black toner yield based on printing pages in accordance with ISO/IEC 19752 testing methodology. Yields vary with usage and environmental conditions.

<sup>21.</sup> Dell Color Laser Printer 1250c, 1350cnw, 1355cn/cnw, 2150cn/cdn, 2155cn/cdn, 3115cn, 3130cn duplex, 5130cdn, and 7130cdn black and color toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.

<sup>22.</sup> PC must have a wireless card or be connected to a wireless network, and have the printer software installed for proper function.

<sup>23.</sup> Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.